

## VM700 MOBILE VACUUM CLEANER

The VM700 mobile vacuum cleaner: designed for larger jobs on a regular basis. With the "explosion-proof" option and the 3 bucket options, nothing will prevent your growth.

### TECHNICAL SPECS

- Rate : 700 icfm
- Ratio: 5,03 ft/min
- Filtration area: 139 ft<sup>2</sup>
- Manual shaking device filter unit
- Felt gloss polyester filter bags
- Tri-lob blower with belt drive 30 Hp @ 600V electric motor
- Electronic panel CSA compliant with starter, phase inverter and high level shutdown;
- Vibrating switch for point level;
- Safety valve at pump inlet;
- Hepa filter at pump inlet;
- 50 ft electrical cable with 60A welding machine plug
- Structure with stopper and forklift slot for filtration head lifting
- OPTION: Air spring to lifting the head



### DIMENSIONS

LENGTH: 87"  
WIDTH: 91"  
HEIGHT: 94"  
WEIGHT: 5800 LB



# EXPLOSIVE EQUIPMENT

All Filtrartech vacuum cleaners can include devices to reduce or manage explosive hazard or explosive dust.

We use your Dust Hazard Analysis and risk assessment to select the best protecting device for your application.


\*All equipment and devices are NFPA or ATEX regulations compliant.




## HOPPER OPTIONS AND MORE



**SELF-TILTING  
HOPPER 1,9YD<sup>3</sup>**



**NON TILTING HOPPER  
2,5YD<sup>3</sup>**



**BAGGING HOPPER**

Unique design allowing you to choose between a fixed bucket, a self-tipping bucket or a bagging hopper without any changes to the machine.

Filtrartech has designed its units for the heavy industrial market. The steel structure allows it to withstand handling by a forklift for many years.

The filtration is oversized to keep the same level of exceptional performance for a long time.

